



Studies on Some Medicinal Plants of Leguminaceae Family in Adilabad District, Telangana State, India

Dr. N. Ramakrishna¹, E. M. Sunitha², Ch. Saidulu^{3*}, A. Rajani²

¹Lecturer in Botany, Department of Botany, SAP College Vikarabad, Ranga Reddy Dist, Telangana State, India.

²Lecturer in Botany, Department of Botany, R.B.V.R. Reddy Womens College, Narayanaguda, Hyderabad, Telangana, India.

³Research scholar, Department of Botany, University College of Science, Osmania University, Hyderabad, Telangana, India.

*Corresponding author's E-mail: saidulu.chilumula@gmail.com

Accepted on: 10-11-2014; Finalized on: 31-12-2014.

ABSTRACT

Tribal medicinal practices of plant crude drugs for various ailments recorded from Adilabad district, Telangana State are presented. The particulars of plant parts used, mode of preparation and administration are given. The crude drugs, either single, bi- or as multi-component preparations are used for various ailments. This information provides immense potential for study of relationship of the active principles of the drugs with the ailments concerned. The plants of Adilabad district in Telangana region are well known for their medicinal properties. Several of the 31 leguminous plants species presented in this paper need special attention on account of their restricted availability, threatened status and Ethnobotanical significance. This is of crucial importance in planning any meaningful conservation strategy. The medicinal plants in Adilabad district are distributed in a wide range of habitats including, forests, grassy localities, field margins, way side and roadside etc.

Keywords: Medicinal plants, Adilabad, Leguminaceae, Tribals

INTRODUCTION

India is thus endowed with the world's 12 richest biodiversity, cultural and traditional system in respect to medicinal plants. It has 16 agro climatic zones having 45,000 plant species of which 15,000 - 20,000 proved to have medicinal values. The rich flora are the potential strengths of India. The World Health Organization (WHO) in its document on health for all (2000) has indicated the role of traditional medicine in the Primary Health Care (PHC) of the people, even today 80% of world population belonging, developing countries are still rely on traditional medicine for their health care requirements. The (WHO) have declared 21,000 plants have medicinal uses. Health care in India is characterized by medicine pluralism, including self-care, consultation with traditional healers or primary health centers. This should be surprising when we realize that indigenous medicinal plants, India has a rich heritage of using medicinal plants in its different medicinal systems such as Ayurveda, Unani and Siddha as the highly diverse folk tradition. About 8000 plants species, out of 17000 known vascular plants of India, have been documented to be in traditional medicinal use in India by the All India Coordinated Research Project on Ethno-Biology (AICRPE) of Government in India. The oldest record of the use of plants as medicine is given in the Rig-Veda (4500-1600 BC), in which curative properties of some plants are described.

Then appeared the two important Indian systems of medicine viz; the Charaka Samhita (1000-800 BC) and Susruta Samihita (800-700 BC). As a result many new species have become a part of regular Ayurvedic medicine yet, uses of many species are confined to

certain communities due to lack of ethno botanical studies. The legumes represent a very large and diverse group, ranging from small plants such as clovers to large trees such as *Acacia* species. This group is estimated to contain 15,000 to 18,000 species in about 750 genera, and most of those examined fix nitrogen in symbiosis with rhizobia¹. These plants are cosmopolitan in distribution occupying a wide range of habitats. In India, legumes are represented by about 1152 species in 179 genera both indigenous and introduced². Legumes are important source of food mainly from seeds which contain 25-50% protein, gums for cosmetics, fuel, fodder and medicine etc³. The plant specimens were identified using district, regional and state floras like Flora of Adilabad District⁴ and important medicinal plants of Adilabad district of Andhra Pradesh⁵. Ethno botanical studies in Adilabad and Karimnagar districts of Andhra Pradesh, India^{6,7}. The study aimed to record some interesting ethno medicinal plants available and which are practiced by surrounding local adivasis of Jannaram forest division for their health care.

Study Area

Jannaram Forest Division lies in the Adilabad district, between latitudes 18^o.55' 21" and 19^o.21' 5" N and longitudes 78^o.45' 10" and 79^o.14' 5" E. The geographical area of the division is 925.27Km², which is 5.7 % of the total area of the district. The Northwest corner of this division Birsai pet plateau is 396m above mean sea level. This plateau is all undulatory and drains from either side, into Peddavagu, which runs across the plateau from North-East to South-West. The temperature varies from 15 °C to 45 °C and average annual rainfall of the 750mm received mainly from south-west monsoons. In the Kawal



Wildlife Sanctuary about 30 seasonal streams are identified. The area serves as a catchment for many streams, which drain into Kaddam reservoir and Godavari River. There are a large number of small, medium and big tanks scattered throughout the division inside and outside the Reserve Forest.

MATERIALS AND METHODS

Intensive field work was undertaken by the author for a period of five years from January 2007 to December 2011. Locally well known herbal healers and poojaris belonging to Kolams, Naikpods, Pardhans, Gonds, Thotis, Chenchus and Mathuras tribal communities of the district, who are still practicing traditional medicine are identified.

The author has visited nearly 30 habitations belonging to Bellampalli, Chinnur, Ichoda, Jaipur, Jannaram, Kerimeri, Sirupur (u), Tiryani, Uttoor and Wankidi Mandals. The author had also visited villages and habitations like Gondugudems, Naikapu gudems. Plants were collected in flowering and fruiting stages for the preparation of herbarium by following standard methods. Herbarium specimens were identified and accessed as per the norms laid down.

The vouched specimens were deposited in the Herbarium, Department of Botany, Osmania University, Hyderabad, Telangana State. Observations of the plant species were made with respect to their location and other field characters⁸. The plant specimens were identified using district, regional and state floras like Flora of Adilabad district, Flora of the Presidency of Madras, and other relevant literature. The approaches and methodologies described have been followed systematically for Ethno botanical enumeration of the herbal treatments recorded in the present study.

The traditional healers who are practicing traditional medicine were interviewed from time to time to recorded. Information was gathered regarding plants or their parts, preparation of the medicine, dosages, method of administration and described recipe for human records.

RESULTS AND DISCUSSION

The plants of Adilabad district in Telangana region are well known for their medicinal properties. Several of the 31 leguminous plant species presented in this paper need special attention on account of their restricted availability, threatened status and ethno botanical significance. This is of crucial importance in planning any meaningful conservation strategy. Medicinal plants are distributed in a wide range of habitats including, forests, grassy localities, field margins, way side / road side etc.

The World Health Organization (WHO), Food and Agricultural Organization (FAO) and United Nations Industrial Development Organization (UNIDO) emphasized the fact that more than 90% of world population particularly in China, Africa and India are

exclusively dependent on herbs and traditional healers for maintaining a reasonable level of health and a lot of indigenous knowledge is required for their identification and processing^{9,10}.

These plants are used for the treatment of cough, cold, fever, dysentery, skin disease, malaria, kidney, stomach and intestinal disorder etc. In many cases different plant parts of the same species are being used to cure different ailments, for example, the decoction of flowers of *Butea monosperma* is used as blood purifier, seeds are used as anthelmintic agent and gum is used as tonic by ladies after delivery. Some of the medicinal plants such as *Abrus precatorius*, *Mucuna pruriens* and *Pterocarpus marsupium* Roxb (Fabaceae) have multipurpose utility.

These species have been distributed within different life forms i.e. tree, shrub, herb, climber and trees. Various parts such as roots, rhizome, bark, leaves, seeds and whole plant are used for the treatment of various ailments. Of these leaves are used in 11 cases, stem in 10, roots 7, seeds 3, flower 2, Fruits 2, Whole plant 2 and Red latex 1. This knowledge on bio-resources can provide leads for search for new drugs through intensive pharmacological studies.




Figure 1: Percentage of some medicinal plant parts utilized in the treatment of various disease / ailments

CONCLUSION

Most of the medicinal plants are being extracted for drug and pharmaceutical industries from wild populations. This has adversely affected the very existence of a number of plants of high commercial value.

Further, with the increasing world demand and renewed global interest in traditional ethno pharmacy coupled with the increasing preference for natural substances in the health care system, the natural stock of medicinal plants of Adilabad forest region is under tremendous pressure.

Acknowledgement: The authors are very thankful to Dr. A. Hindumathi, Principal Investigator, Applied Mycology and Plant Pathology Laboratory, Department of Botany, Osmania University, Hyderabad for her help and encouragement in completion of this paper.

Table 1: Some Leguminous Medicinal Plants used by Tribals of Adilabad District, Telangana State, India.

S. No.	Botanical Name / Family	Vernacular Name	Parts used	Preparation/Administration	Disease/Ailment
1.	<i>Abrus precatorius</i> L. (Fabaceae)	Guruvinnda	Leaves	Handful of fresh leaves is ground with 5g fresh rhizome of <i>Curcuma longa</i> to make a Paste. It is applied on the affected part of the body once a day till cured.	Scabies
			Seed	Seed paste is applied externally once a day till cured.	Arthritis
2.	<i>Acacia catechu</i> (L.f.) (Mimosaceae)	Kachu	Stem	The stem bark of <i>Acacia catechu</i> and tips of <i>Holoptela integrifolia</i> are ground to paste and applied on the wounds for eight days.	Wounds
3.	<i>Acacia nilotica</i> (L.) Del (Mimosaceae)	Nalla Thumma	Stem	Take 20g stem bark powder and apply on burns along with oil.	Burns
				Dried stem bark powder mixed with camphor and ghee applied on wounds	Wounds
4.	<i>Albizia lebbek</i> (L.) Willd. (Mimosaceae)	Dirisena	Root	The root juice is extended by adding 3 – 4 pepper seeds, half cup of juice is given to drink by the patient and a little paste is also to be smeared on the bite spot.	Snake bite
5.	<i>Alysicarpus monolifer</i> (L.) DC (Mimosaceae)	Amera	Leaves	Apply leaf juice on wounds twice daily for three days.	Wounds
6.	<i>Acacia farnesiana</i> (L.) Willd (Mimosaceae)	Murikithumma	Stem	100ml stem bark juice is given twice a day for three days.	Mad dog bite
7.	<i>Albizia amara</i> (Roxb.) Boivin (Mimosaceae)	Narlingi	Stem	5g each of stem barks of <i>Albizia amara</i> , <i>Azadirachta indica</i> , <i>Zizyphus oenoplia</i> , <i>Capparis zeylanica</i> , <i>Ricinus communis</i> , and <i>Cassia fistula</i> are pounded together to make powder and mix one tea spoonful of powder, made into decoction in 100ml of water and filtered. The decoction thus prepared is given internally twice a day for two days.	Fever
8.	<i>Butea monosperma</i> (Fabaceae)	Moduga	Stem	50ml of stem bark extract is given with equal amount of goat milk once a day for three days. Set up the bone and wrap with cloth then tie with stem fiber of <i>Butea monosperma</i> tightly.	Fracture
				50ml of stem bark extract is given internally for three days to check conception	Infertility
			Flower	Make powder by the dry flowers of <i>Butea monosperma</i> , <i>Trachyspermum ammi</i> , <i>Cuminum cyminum</i> , <i>Piper nigrum</i> , <i>Zingiber officinalis</i> . Table spoon powder is given orally daily in the morning and evening till cured.	Fever
9.	<i>Bauhinia racemosa</i> Lam (Caesalpinaceae)	Aree	Leaves	Young leaves are ground to paste and applied to lips and in mouth.	Mouth ulceration
10.	<i>Clitoria ternatea</i> Linn (Fabaceae)	Shankha pushpi	Root	Make root paste and applied along with leaf pulp of <i>Aloe vera</i> externally once daily for 3-4 weeks	Psoriasis
11.	<i>Caesalpinia bonduc</i> (L.) Fleming (Caesalpinaceae)	Gachakai	Leaves	Leaf paste along with those of bandaged over the hydrocele.	Hydrocele
12.	<i>Canavalia virosa</i> (Roxb.) Wt. & Arn. (Fabaceae)	Thamma kaya.	Leaves	Leaves extract is applied on the affected part once daily for three days.	Ring worm
13.	<i>Cicer arietinum</i> L. (Fabaceae)	Senagalu	Leaves	Leaves extract is applied on the affected part once daily for three days.	Immunity
14.	<i>Cassia auriculata</i> L. (Caesalpinaceae)	Thangedu	Flower	Handful flowers are crushed and mixed with 100ml of cow milk and given orally to treat white discharge.	White discharge
			Seed	5gm seed powder mixed with honey is given orally	Diabetes
15.	<i>Cassia fistula</i> L. (Caesalpinaceae)	Rela	Stem	50ml stem bark decoction is given orally.	Leprosy
16.	<i>Cassia tora</i> L. (Caesalpinaceae)	Thydanta	Leaves	Grind 150g leaves, squeeze out the juice and apply on the cleaned wound once a day till it heals.	Wounds
17.	<i>Cassia occidentalis</i> L. (Caesalpinaceae)	Kasintha	Leaves	10ml leaf juice is given orally to cure boils.	Boils
18.	<i>Dalbergia paniculata</i> Roxb (Fabaceae)	Pacharugu	Stem	Stem bark paste is applied to the hair once in a week to control hair fall due to dandruff	Hair fall and dandruff
19.	<i>Desmodium gangeticum</i> (L.) DC (Fabaceae)	Deyyam jada	Root	Decoction 50g fresh roots along with 3 pepper in 200ml of water and 10ml of this decoction is given internally twice daily for 3-4 days.	Fever
20.	<i>Dolichos lablab</i>	Chikkudu	Stem	50g stem bark of <i>Gymnosporia montana</i> , and <i>Dolichos lablab</i> leaves are ground together and juice is extracted and goat liver is soaked in it for one day and fried without oil and eaten for 2-3 days.	Edima
21.	<i>Dichrostachys cinerea</i> (L.) Wt. & Arn. (Mimosaceae)	Velthuru	Stem	10g stem bark extract of <i>Dichrostachys cinerea</i> and <i>Abutilon indicum</i> in water is given orally once in a day for a week.	Paralysis
22.	<i>Indigofera tinctoria</i> L. (Fabaceae)	Konda Neeli	Whole plant	Whole plant is crushed into a paste, 10g paste is mixed with water and given orally	Dog bite
23.	<i>Mucuna pruriens</i> L. (Fabaceae)	Duldamma.	Whole plant	Whole plant is ground to paste and applied daily to remove Ectoparasites.	Maggot wounds
24.	<i>Mimosa pudica</i> L. (Mimosaceae)	Athipathi	Leaves	Leaf paste is applied over snake bite.	Snake bite
			Root	10ml root extract is given twice in a day for two days.	Diarrhoea
25.	<i>Prosopis cineraria</i> (L.) Druce (Mimosaceae).	Jammi Chettu	Root	One tea spoon root bark powder mixed with 100ml of goat milk is given orally to cure White discharge	Leucorrhoea
26.	<i>Pongamia pinnata</i> L. (Fabaceae)	Kanuga	Root	50ml root juice is mixed with equal amount of coconut milk and it is boiled and applied on the bloated stomach	Gastric trouble
27.	<i>Pterocarpus marsupium</i> Roxb (Fabaceae)	Pedda Yegi	Red latex	Red latex is kept on tongue of a person suffering from prolonged fever.	Fever
			Stem	50ml stem bark decoction is given to teenage girls against menstrual complaints.	Menstrual complaints
28.	<i>Pueraria tuberosa</i> Willd (Fabaceae)	Nela gummadi	Fruits	Fruit juice is applied to head and hair to cure dandruff and Hair growth.	Dandruff and Hair growth
29.	<i>Tephrosia purpurea</i> L. (Fabaceae)	Vempali	Leaves	Leaf paste is applied over the sting, the bitten area is exposed to heat of match	Scorpion sting
			Roots	The roots are chewed to cure stomach pain.	Stomach ache
30.	<i>Tamarindus indica</i> L. (Caesalpinaceae)	Chintha	Leaves	The leaves are heated and tied over the affected area.	Swelling
			Fruits	Dried fruits are taken orally to treat eye infections.	Eye diseases
31.	<i>Trigonella foenum-graecum</i> L. (Fabaceae)		Seeds	5g seeds are chewed to cure diarrhoea twice daily for two days.	Diarrhoea

REFERENCES

1. Allen ON and Allen EK, The Leguminosae, Madison, Wisconsin, USA: University of Wisconsin press, 1981.
2. Husain T and Kapoor SL, Enumeration of legumes in India (indigenous and introduced). National Botanical Research Institute. Lucknow, India, 1990.
3. Samant S, Dharu S, Palni LMS, Medicinal Plants of Indian Himalaya: Diversity, Distribution Potential values, 1998.
4. Pullaiah T, Prasanna V, Obulesu G, Flora of Adilabad district, Andhra Pradesh, CBS Publishers & Distributors, 485, Jain Bhawan, Bhole Nath Nagar, Shahdara, Delhi-110 032 (India), 1992.
5. Mubeen, Prepared an inventory of important medicinal plants of Adilabad district of Andhra Pradesh, 2005.
6. Ravishankar T, Henry AN, Ethnobotany of Adilabad district, Andhra Pradesh, India. Ethnobotany, 4, 1992, 45-52.
7. Ravishankar T, Ethnobotanical studies in Adilabad and Karimnagar districts of Andhra Pradesh, India. Ph.D. thesis, Bharathiar University, Coimbatore, 1990.
8. N. Ramakrishna, Ethno Botanical studies of Adilabad district, A.P. Ph. D Thesis Osmania University, 2013.
9. Bargali SS, Shrivastava SK, Joshi VK, Bargali K. Some less known ethnomedicinal plants of Jagdalpur district of Chhattisgarh state. The Botanica, 53, 2003, 192-197.
10. Bargali SS, Shrivastava SK, Exploration of Valuable medicinal vegetal wealth from the tribal belt of Baster district in Chhattisgarh. The Botanica, 52, 2002, 75-82.

Source of Support: Nil, **Conflict of Interest:** None.

Corresponding Author's Biography: Mr. Ch. Saidulu

Mr. Ch. Saidulu is pursuing Ph. D from Osmania University on heavy metal remediation from medicinal plant (*Withania somnifera*). In post graduate level he has taken specialization in medicinal botany from Osmania University, Hyderabad. He has published 20 research papers at international and national journal. He has participated in 7 conferences at national and international level. He is working as project assistant in the OU-DST PURSE Programme at Department of Botany, University College of Science, Osmania University, Hyderabad, Telangana State, India. He is having 5 years of teaching experience Degree College at Vikarabad, Ranga Reddy.